

	L #	Hits	Search Text	DBs	
	1	L1	360	assembl\$5 near3 mail	USPAT
	2	L2	213	series near5 mail	USPAT
read	3	L3	14	1 and 2	USPAT
	4	L4	4	3 and setting	USPAT
	5	L5	672	assembl\$5 near8 mail	USPAT
	6	L6	144	5 and setting	USPAT
	7	L7	28702	code with register\$3	USPAT
read	8	L8	3	6 and 7	USPAT
	9	L9	56722	(instruction or function) with code	USPAT
read	10	L10	24	6 and 9	USPAT
	11	L11	1	4800505.pn.	USPAT
	12	L12	350	assembl\$5 near3 mail	US-PGPUB; DERWENT; IBM_TDB
	13	L13	43	12 and setting	US-PGPUB; DERWENT; IBM_TDB
read	14	L14	28	13 and code	US-PGPUB; DERWENT; IBM_TDB
	15	L15	48	assembl\$5 near3 mail	EPO; JPO
	16	L16	7	15 and code	EPO; JPO
read	17	L17	2	15 and (ID or identif\$7)	EPO; JPO
	18	L18	4	15 and setting	EPO; JPO

	L #	Hits	Search Text	DBs
1	L1	1322	prepar\$6 near6 mail\$3	USPAT
2	L2	7821	insert\$3 with envelope	USPAT
3	L3	345	1 and 2	USPAT
4	L4	196	code and 3	USPAT
5	L5	76	4 and setting	USPAT
6	L6	88291	(predetermin\$3 or (pre adj determin\$3) or stor\$3 or instruction or function) near5 code	USPAT
7	L7	72	3 and 6	USPAT
8	L8	37	7 and setting	USPAT
9	L9	18	8 and assembl\$3	USPAT
10	L10	19	8 not 9	USPAT

read